

[illegible]

D'Arey Power

Feb 1886

PHARMACOPŒIA

5

OF

St. Bartholomew's Hospital.



LONDON:

HARRISON & SONS, ST. MARTIN'S LANE,

Printers in Ordinary to Her Majesty.

1879.

Uterine haemorrhage
and chlorosis.

Opie 92 IV
belladonna 3j.
ergot 92 VI
Rt. 1V.
Quinine 92 VII

Chlorosis and leucorrhoea

Leucorrhoea 3j.
ergot 92 VII
Rt. 1V.
Quinine 92 VIII

Artificial leucorrhoea

acid sulph
Opie 92 IX
belladonna 3j.
ergot 92 X
Rt. 1V.

Uterine haemorrhage and chlorosis

ergot 92 XI
belladonna 3j.
Rt. 1V.
Quinine 92 XII

Artificial leucorrhoea

ergot 92 XIII
belladonna 3j.
Rt. 1V.
Quinine 92 XIV

Artificial leucorrhoea

ergot 92 XV
belladonna 3j.
Rt. 1V.
Quinine 92 XVI

Uterine haemorrhage and chlorosis

Rt. 1V.
belladonna 3j.
ergot 92 XVII
Rt. 1V.
Quinine 92 XVIII

For chlorosis

ergot 92 XIX
belladonna 3j.
Rt. 1V.
Quinine 92 XX

Rt. 1V.

For menorrhagia

ergot 92 XXI
belladonna 3j.
Rt. 1V.

ergot 92 XXII
belladonna 3j.
Rt. 1V.
Quinine 92 XXIII

Artificial leucorrhoea

ergot 92 XXIV
belladonna 3j.
Rt. 1V.
Quinine 92 XXV

Rt. 1V.

Medical Officers of the Hospital.

Consulting Physicians.

SIR GEORGE BURROWS, BART.

DR. FARRE. | DR. HARRIS.

DR. BLACK.

Consulting Surgeon.

SIR JAMES PAGET, BART.

Physicians.

DR. ANDREW. | DR. CHURCH.

DR. SOUTHEY. | DR. GEE.

Surgeons.

MR. HOLDEN. | MR. CALLENDER.

MR. SAVORY. | MR. SMITH.

Assistant Physicians.

DR. DUCKWORTH. | DR. BRUNTON.

DR. HENSLEY. | DR. LEGG

Assistant Surgeons.

MR. WILLETT. | MR. BAKER.

MR. LANGTON. | MR. MARSH.

Physician-Accoucheur—

DR. MATTHEWS DUNCAN.

*Assistant Physician Accoucheur—*DR. GODSON.

Ophthalmic Surgeons.

MR. POWER. | MR. VERNON.

*Surgeon-Dentist—*MR. COLEMAN.

Casualty Physicians.

DR. V. D. HARRIS. | DR. ORMEROD.

DR. WEST.



PREFACE.

THE object of this Pharmacopœia is to describe certain medicinal preparations and compounds which are frequently employed in St. Bartholomew's Hospital, but are not contained in the British Pharmacopœia.

The substances named in these preparations have been taken, with very few exceptions, from the British Pharmacopœia of 1867; and the weights and measures employed are such as are authorised in that work.

The adoption of the English language in the British Pharmacopœia justifies the use of the same language in this Hospital Phar-

macopœia ; but the medicines themselves are designated, as they also are in the British Pharmacopœia, by a Latin as well as by an English name, for the convenience of prescription.

A Table has been appended of the Doses of Officinal Medicines recommended in the British Pharmacopœia, which will probably be found a useful and convenient addition.

CONTENTS.

	PAGE
Medical Officers of the Hospital	iii
Preface	v
Substances employed in the Hospital Pre- parations, but not contained in the British Pharmacopœia	viii
List of new Preparations contained in the present Pharmacopœia	ix
List of Preparations whose Name has been altered	xiii
List of Preparations whose Composition has been altered	xiv
The Pharmacopœia	1
Diet Table	54
Table of Doses of Officinal Medicines, from the 'British Pharmacopœia'	56
Index	67

*Substances employed in the Hospital
Preparations, but not contained in
the British Pharmacopœia.*

Cape Aloes.

Commercial Extract of Liquorice.

Oil of Cassia.

Oil of Marjoram.

Sea-salt.

Size (gluten).

NEW PREPARATIONS

Contained in the present Pharmacopœia.

Aqua Carui.

—— Caryophylli.

—— Cassiæ.

—— Menthæ Piperitæ.

—— Menthæ Viridis.

Balneum Acidum.

———— Alkalinum.

———— Calidum.

———— Creasoti.

———— Glutinis.

———— Marinum.

———— Sulphureum.

———— Tepidum.

Confectio Boracis.

Decoctum Aloes Compositum.

———— Hemidesmi Compositum.

Enema Olei Ricini.

Fotus Belladonnæ.

—— Papaveris.

Gargarisma Aluminis Compositum.

Glycerinum Acidi Gallici.

Haustus Acidi Gallici.

—— Acidi Hydrocyanici.

—— Acidi Nitro-hydrochlorici.

—— Ætheris Ammoniatus.

—— Calumbæ Compositus.

—— Ferri et Ammoniae Citratis.

—— Gentianæ cum Rheo.

—— Gentianæ cum Senna.

—— Hemidesmi cum Potassii Iodido.

—— Olei Morrhuæ.

—— Olei Morrhuæ Alkalinus.

—— Olei Ricini.

—— Olei Ricini Alkalinus.

—— Potassæ Chloratis.

—— Potassæ Effervescens.

—— Potassii Iodidi Ammoniatus.

—— Quassiae cum Ferro.

—— Quiniæ cum Ferro.

Haustus Sodæ Tartratis.

—— Valerianæ cum Hyoscyamo.

—— Zinci Emeticus.

Linctus cum Ipecacuanha.

Lotio Aceti.

—— Acidi Carbolici.

—— Acidi Sulphurosi.

—— Aluminis Composita.

—— Aluminis Mitissima.

—— Atropiæ Sulphatis.

—— Boracis cum Potassæ Chlorate.

—— Cupri Sulphatis.

—— Ferri Sulphatis.

—— Hydrargyri Perchloridi.

—— Plumbi Acetatis.

—— Potassæ Permanganatis.

—— Zinci Sulphatis Mitior.

Oleum Carbolatum.

Pilula Aloes cum Nuce Vomica.

—— Creasoti.

—— Creasoti cum Assafoetida.

—— Ferri Redacti.

Pilula Hydrargyri Perchloridi cum Bella-
donna.

Potassa cum Calce.

Pulvis Cretæ Aromaticus cum Rheo.

Spiritus Ammoniae Aromaticus.

———— Ammoniae Foetidus.

———— Carui.

———— Caryophylli.

———— Cassiae.

———— Menthæ Piperitæ.

———— Menthæ Viridis.

Syrupus Papaveris.

———— Rhœados.

Vinum Ipecacuanhæ.

*Preparations whose Name has been altered
in the present Pharmacopœia.*

PHARMACOPŒIA 1861.

PHARMACOPŒIA 1869.

Collyrium Aluminis.	Lotio Aluminis Mitior.
— Argenti Nitratis.	— Argenti Nitratis Mitior.
Confectio Cinchonæ.	Confectio Cinchonæ Flavæ.
— Ferri Potassio-tartratis.	— Ferri Tartarati.
— Jalapæ Composita.	— Jalapæ.
— Potassæ Bitartratis.	— Potassæ Tartratis Acidæ
— Sulphuris Composita.	— Sulphuris.
Decoctum Sarsæ Compositum.	Decoctum Hemidesmi Compositum.
Gargarisma Acidi Acetici.	Gargarisma Aceticum.
— Acidi Hydrochlorici.	— Hydrochloricum.
Haustus Aromaticus.	Haustus Cretæ Aromaticus.
— Aromaticus cum Rho.	— Cretæ Aromaticus cum Rho.
— Cinchonæ Compositus	— Cinchonæ Acidus.
— Colchici Compositus.	— Colchici.
— Cretæ Compositus.	— Cretæ Aromaticus cum Opio.
— Emeticus.	— Ipecacuanhæ Emeticus.
— Sodæ Tartratis.	— Sodæ Effervescens.
Linimentum Plumbi cum Oïco.	Linimentum Plumbi.
Lotio Hydrargyri Bichloridi Amygdalina.	Lotio Hydrargyri Perchloridi Hydrocyanica.
— Potassii Sulphureti.	— Potassæ Sulphuratæ
Vinum Ferri.	Liquor Ferri Tartarati.

Preparations whose Composition has been altered in the present Pharmacopæia.

Confectio Aluminis	Treacle for Confection of Roses.
— Jalapæ	30 gr. Compound Jalap Powder for about 7 gr. Jalap and 4 gr. Bitartrate of Potash.
Gargarisma Capsici	10 min. Tincture of Capsicum for 15 min.
— Sodæ Chloratæ	30 min. Solution of Chlorinated Soda for 20 min.
Haustus Aloes et Camphoræ	2 gr. Cape Aloes for 3 gr.
— Ammoniæ Acetatis cum Scilla.	20 min. Vinegar of Squill for 30 min.
— Camphoræ Fœtidus ...	15 min. Fetid Spirit of Am- monia for 20 min. Comp. Tinet. of Cardamoms omitted
— Cascarillæ cum Scilla	Tincture of Squill for Vinegar of Squill.
— Cinchonæ Acidus	Infusion of Roses omitted.
— Colehici	15 min. Tincture of Colehicum for 20 min.
— Copaibæ Compositus	30 gr. Cubebs for 60 gr
— Cretæ Aromaticus cum Opio.	Aromatic Powder of Chalk and Opium for Pulvis Cretæ Compositus Ph. Lond.
— Rhei cum Magnesia ...	30 gr Compound Rhubarb Pow- der for 10 gr. Rhubarb and 10 gr. Carbonate of Magnesia.
— Terebinthinæ	20 min. Oil of Turpentine for 30 min.
Liquor Ferri Tartarati (Vinum Ferri, 1861).	8 gr. Tartarated Iron for 10 gr.
Lotio Hydrargyri Perchloridi Hydrocyanica.	Glycerine and Hydrocyanic Acid for Bitter Almonds.
— Quercus Composita ...	4 gr. Sulphate of Zinc and 4 gr. Alum for 8 gr. Alum.
Pilula Ferri Fœtida	3 gr. Saccharated Carb. of Iron for 2 gr Peroxide of Iron.

The Draughts have been, with very few exceptions, reduced in quantity from 1½ ounces to 1 ounce.

PHARMACOPŒIA.

AQUA CARUI. CARAWAY WATER.

Take of

Spirit of Caraway	..	30 minims,
Distilled Water	..	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of caraway.

AQUA CARYOPHYLLI. CLOVE WATER.

Take of

Spirit of Cloves	..	30 minims,
Distilled Water	..	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of cloves.

AQUA CASSIÆ.

CASSIA WATER.

Take of

Spirit of Cassia	..	30 minims.
Distilled Water	..	to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of cassia.

AQUA MENTHÆ PIPERITÆ.

PEPPERMINT WATER.

Take of

Spirit of Peppermint .	30 minims.
Distilled Water	.. to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of peppermint.

AQUA MENTHÆ VIRIDIS.


SPEARMINT WATER.

Take of

Spirit of Spearmint ..	30 minims.
Distilled Water	.. to 1 pint.

Mix.

It contains $1\frac{1}{2}$ minims of oil of spearmint.



ST. BARTHOLOMEW'S HOSPITAL.



CASUALTY *Date*

Name

Prescription

HOUSE SURGEON.

Patients must **come** to the Hospital between 9 and Half-past 9 o'clock
in the morning.

BALNEUM ACIDUM.

ACID BATH.

Take of

Nitric Acid	$1\frac{1}{2}$ fl. ounces.
Hydrochloric Acid ..	1 fl. ounce,
Water	30 gallons.

Mix.

BALNEUM ALKALINUM.

ALKALINE BATH.

Take of

Carbonate of Soda ..	8 ounces,
Water	30 gallons.

Dissolve.

BALNEUM CALIDUM.

WARM BATH.

Take of

Water at 96° ..	30 gallons.
-----------------	-------------

BALNEUM CREASOTI.

CREASOTE BATH.

Take of

Creasote	$\frac{1}{4}$ fl. ounce,
Glycerine	2 fl. ounces,
Water	30 gallons.

Mix.

BALNEUM GLUTINIS.

SIZE BATH.

Take of

Size	8 pounds,
Boiling Water			..	1 gallon.

Mix and add

Water	to 30 gallons.
-------	----	----	----------------

BALNEUM MARINUM.

SALT-WATER BATH.

Take of

Sea-Salt	9 pounds,
Water	30 gallons.

Dissolve.

BALNEUM SULPHUREUM.

SULPHUR BATH.

Take of

Sulphurated Potash.	..	8 ounces,
Water	..	30 gallons.

Dissolve.

BALNEUM TEPIDUM.

TEPID BATH.

Take of

Water at 90°	..	30 gallons.
--------------	----	-------------

CERATUM SIMPLEX.

SIMPLE CERATE

Take of

Yellow Wax..	..	$\frac{1}{4}$ ounce,
--------------	----	----------------------

Prepared Lard	..	$\frac{3}{4}$ ounce.
---------------	----	----------------------

Melt together.

CONFECTIO ALUMINIS.

CONFECTION OF ALUM.

Take of

Alum in powder	..	120 grains,
----------------	----	-------------

Treacle	..	to 1 fl. ounce.
---------	----	-----------------

Mix.

Dose.—1 to 2 teaspoonfuls, containing
15 to 30 grains of alum.

CONFECTIO BORACIS.

CONFECTION OF BORAX.

Take of

Borax in powder	..	64 grains,
-----------------	----	------------

Treacle	..	to 1 fl. ounce.
---------	----	-----------------

Mix.

CONFECTIO CINCHONÆ FLAVÆ.

CONFECTION OF YELLOW CINCHONA.

Synonym.—*Confectio Cinchonæ*, 1861.

Take of

Yellow Cinchona Bark

in fine powder .. 80 grains,

Ginger in Powder .. 8 grains,

Treacle to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing 20 grains of yellow cinchona bark.**CONFECTIO FERRI TARTARATI.**

CONFECTION OF TARTARATED IRON.

Synonym.—*Confectio Ferri Potassio-tartratis*, 1861.

Take of

Tartarated Iron .. 30 grains,

Acid Tartrate of Potash 180 grains,

Ginger in powder .. 5 grains,

Treacle to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls, containing $7\frac{1}{4}$ grains of tartarated iron and 45 grains of acid tartrate of potash.

CONFECTIO JALAPÆ.

CONFECTION OF JALAP.

Synonym.—*Confectio Jalapæ Composita*,
1861.

Take of

Compound Powder of

Jalap	120 grains,
Treacle	to 1 fl. ounce.

Mix.

Dose.—2 to 4 teaspoonfuls, containing
30 to 60 grains of compound jalap powder.

CONFECTIO POTASSÆ TARTRATIS
ACIDÆ.

CONFECTION OF ACID TARTRATE OF POTASH.

Synonym.—*Confectio Potassæ Bitartratis*,
1861.

Take of

Acid Tartrate of Pot-

ash	240 grains,
Ginger in powder	5 grains,
Treacle	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing
30 to 60 grains of acid tartrate of potash.

CONFECTIO SULPHURIS.

CONFECTION OF SULPHUR.

Synon.—*Confectio Sulphuris Composita*, 1861.

Take of

Sublimed Sulphur	200 grains,
Acid Tartrate of Potash	50 grains,
Treacle	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls, containing 25 to 50 grains of sulphur and $6\frac{1}{4}$ to $12\frac{1}{2}$ grains of acid tartrate of potash.

DECOCTUM ALOES COMPOSITUM.

COMPOUND DECOCTION OF ALOES.

Take of

Cape Aloes in powder	120 grains,
Myrrh in powder	90 grains.
Carbonate of Potash	60 grains,
Commercial Extract of	
Liquorice	1 ounce,
Tincture of Ginger	$\frac{3}{4}$ fl. ounce.
Rectified Spirit	3 fl. ounces,
Distilled Water	a sufficiency.

Boil the solids for five minutes in a pint

of the water; cool, and add the spirit. Then strain, and add through the strainer sufficient water to make 30 fluid ounces.

Dose.— $\frac{1}{2}$ to 2 fluid ounces, containing 2 to 8 grains of Cape aloes, and $1\frac{1}{2}$ to 6 grains of myrrh.

DECOCTUM HEMIDESMI COMPOSITUM.

COMPOUND DECOCTION OF HEMIDESMUS.

Synon.—*Decoctum Sarsæ Compositum*, 1861.

Take of

Hemidesmus Root ..	2 $\frac{1}{2}$ ounces,
Sassafras Root in chips	} each $\frac{1}{4}$ ounce,
Guaiacum Wood turn-ings	
Commercial Extract of Liquorice	
Mezereon Bark ..	60 grains,
Boiling Distilled Water	1 $\frac{1}{2}$ Pints.

Digest and boil down to 1 pint.

Dose.—1 fluid ounce.

ENEMA OLEI RICINI.

ENEMA OF CASTOR OIL.

Take of

Castor Oil	2 fl. ounces,
Mucilage of Starch	..		18 fl. ounces.

Mix.

ENEMA SAPONIS.

ENEMA OF SOAP.

Take of

Soft Soap	$\frac{3}{4}$ ounce,
Warm Water	..		1 pint.

Mix.

ENEMA SODII CHLORIDI.

ENEMA OF COMMON SALT.

Take of

Common Salt	..	1 ounce,
Decoction of Barley.	..	1 pint.

Dissolve.

FOTUS BELLADONNÆ.

BELLADONNA FOMENTATION.

Take of

Extract of Belladonna		3 grains,
Water	..	1 fl. ounce.

Mix and filter.

FOTUS PAPAVERIS.

POPPY FOMENTATION.

Take of

Bruised Poppy Capsules without seed	3 ounces,
Water	2 pints.

Boil for ten minutes and strain.

GARGARISMA ACETICUM.

ACETIC GARGLE.

Synonym.—*Gargarisma Acidi Acetici*, 1861.

Take of

Acetic Acid	15 minims,
Oxymel	30 minims,
Distilled Water ..	to 1 fl. ounce.

Mix.

GARGARISMA ALUMINIS.

ALUM GARGLE.

Synonym.—*Lotio Aluminis* (page 34).

GARGARISMA ALUMINIS COMPOSITUM.

COMPOUND ALUM GARGLE.

Take of

Alum.	16 grains,
Tincture of Myrrh ..	15 minims,
Distilled Water ..	to 1 fl. ounce.

Mix.

GARGARISMA CAPSICI.

CAPSICUM GARGLE.

Take of

Tincture of Capsicum	10 minims,
Diluted Sulphuric Acid	6 minims,
Decoction of Pale Cin-	
chona	to 1 fl. ounce

Mix.

GARGARISMA HYDROCHLORICUM.

HYDROCHLORIC GARGLE.

Synonym.—*Gargarisma Acidi Hydrochlorici*, 1861.

Take of

Diluted Hydrochloric	
Acid	15 minims,
Decoction of Pale Cin-	
chona	to 1 fl. ounce

Mix.

GARGARISMA SODÆ CHLORATÆ.

CHLORINE GARGLE.

Synonyms.—*Lotio Sodæ Chloratæ* (p. 40).
Gargarisma Sodæ Chlorinatæ, 1861.

GLYCERINUM ACIDI GALLICI.

GLYCERINE OF GALLIC ACID.

Take of

Gallic Acid	40 grains,
Rectified Spirit	2 fl. drachms,
Glycerine	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS ACIDI GALLICI.

DRAUGHT OF GALLIC ACID.

Take of

Glycerine of Gallic			
Acid.	1 fl. drachm,
Distilled Water	7 fl. drachms.

Mix.

It contains 5 grains of gallic acid.

HAUSTUS ACIDI HYDROCYANICI.

DRAUGHT OF HYDROCYANIC ACID.

Take of

Diluted Hydrocyanic			
Acid.	4 minims,
Bicarbonate of Soda	5 grains,
Distilled Water	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS ACIDI NITRO-HYDROCHLORIC

DRAUGHT OF NITRO-HYDROCHLORIC ACID.

Take of

Diluted Nitro-hydro-

chloric Acid .. 10 minims.

Tincture of Orange Peel 20 minims.

Spirit of Chloroform.. 10 minims.

Distilled Water .. to 1 fl. ounce

Mix.

HAUSTUS ÆTHERIS AMMONIATUS.

AMMONIATED ETHER DRAUGHT.

Take of

Spirit of Ether ..

Aromatic Spirit of } each $\frac{1}{2}$ fl. drachm.

Ammonia ..

Distilled Water .. 7 fl. drachms

Mix.

HAUSTUS ALOES ET CAMPHORÆ.

DRAUGHT OF ALOES AND CAMPHOR.

Take of

Compound Decoction

of Aloes } each $\frac{1}{2}$ fl. ounce

Camphor Water ..

Mix.

It contains 2 grains of Cape aloes.

HAUSTUS AMMONIACI FOETIDUS.

FETID AMMONIACUM DRAUGHT.

Take of

Fetid Spirit of Am-	
monia	15 minims,
Ammoniacum Mixture	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS.

DRAUGHT OF ACETATE OF AMMONIA.

Take of

Solution of Acetate	} each $\frac{1}{2}$ fl. ounce.
of Ammonia ..	
Distilled Water ..	

Mix.

HAUSTUS AMMONIÆ ACETATIS CUM
MAGNESIÆ SULPHATE.DRAUGHT OF ACETATE OF AMMONIA AND
SULPHATE OF MAGNESIA.

Take of

Sulphate of Magnesia	60 grains,
Draught of Acetate of	
Ammonia	to 1 fl. ounce.

Dissolve.

HAUSTUS AMMONIÆ ACETATIS CUM SCILLA.

DRAUGHT OF ACETATE OF AMMONIA AND SQUILL.

Take of

Vinegar of Squill .. 20 minims,

Draught of Acetate of

Ammonia to 1 fl. ounce

Mix.

HAUSTUS AMMONIÆ ACETATIS ET CAMPHORÆ.

DRAUGHT OF ACETATE OF AMMONIA AND CAMPHOR.

Take of

Solution of Acetate of

Ammonia 2 fl. drachms.

Camphor Water .. 6 fl. drachms.

Mix.

HAUSTUS AMYGDALÆ.

ALMOND DRAUGHT.

Take of

Almond Oil ..

Mucilage of Gum- } each 2 fl. drachms.

Acacia ..

Distilled Water .. 1 fl. ounce.

Mix.

HAUSTUS ANTIMONII CUM MAGNESIÆ SULPHATE.

DRAUGHT OF ANTIMONY AND SULPHATE OF MAGNESIA.

Take of

Tartarated Antimony	$\frac{1}{8}$ grain,
Sulphate of Magnesia	60 grains,
Distilled Water	.. to 1 fl. ounce.

Dissolve. *sw* *Ant* *107*

HAUSTUS CALUMBÆ ALKALINUS.

ALKALINE DRAUGHT OF CALUMBA.

Take of

Bicarbonate of Soda..	10 grains,
Tincture of Orange	
Peel	30 minims,
Infusion of Calumba..	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CALUMBÆ COMPOSITUS.

COMPOUND DRAUGHT OF CALUMBA.

Take of

Tincture of Calumba..	30 minims,
Bicarbonate of Soda..	10 grains,
Infusion of Orange	
Peel	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CAMPHORÆ FŒTIDUS.

FETID CAMPHOR DRAUGHT.

Take of

Fetid Spirit of Am-

monia 15 minims,

Camphor Water .. to 1 fl. ounce.

Mix.

HAUSTUS CASCARILLÆ CUM SCILLA.

DRAUGHT OF CASCARILLA AND SQUILL.

Take of

Tincture of Squill .. 15 minims,

Infusion of Cascarilla to 1 fl. ounce.

Mix.

HAUSTUS CINCHONÆ ACIDUS.

ACID CINCHONA DRAUGHT.

Synon.—*Haustus Cinchonæ Compositus*, 1861.

Take of

Diluted Sulphuric Acid 10 minims,

Decoction of Pale Cin-

chona to 1 fl. ounce.

Mix.

HAUSTUS COLCHICI.

COLCHICUM DRAUGHT.

Synon.—Haustus Colchici Compositus, 1861.

Take of

Tincture of Colchicum

Seeds 15 minims,

Carbonate of Magnesia 10 grains,

Spearmint Water .. to 1 fl. ounce.

Mix.

HAUSTUS COPAIBÆ COMPOSITUS.

COMPOUND COPAIVA DRAUGHT.

Take of

Copaiva 15 minims,

Mucilage of Gum-

Acacia 1 fl. drachm,

Cubebs in powder .. 30 grains,

Spirit of Nitrous Ether 15 minims,

Camphor Water .. to 1 fl. ounce

Mix. *Between nos.*

HAUSTUS CRETÆ AROMATICUS.

AROMATIC CHALK DRAUGHT.

Synonym.—Haustus Aromaticus, 1861.

Take of

Aromatic Powder of

Chalk 30 grains,

Cassia Water .. to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM OPIO.

AROMATIC CHALK DRAUGHT AND OPIUM.

Synonym.—*Haustus Cretæ Compositus*, 1861.

Take of

Aromatic Powder of	
Chalk and Opium .	20 grains,
Cassia Water ..	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK DRAUGHT AND RHUBARB.

Synon.—*Haustus Aromaticus cum Rheo*, 1861.

Take of

Aromatic Chalk Pow-	
der and Rhubarb ..	30 grains,
Cassia Water ..	to 1 fl. ounce.

Mix.

HAUSTUS FERRI ET AMMONIÆ CITRATIS.

DRAUGHT OF CITRATE OF IRON AND AMMONIA.

Take of

Citrate of Iron and	
Ammonia	8 grains,
Carbonate of Ammonia	2 grains,
Spirit of Chloroform .	10 minims,
Infusion of Quassia ..	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS GENTIANÆ CUM RHEO.

DRAUGHT OF GENTIAN AND RHUBARB.

Take of

Infusion of Rhubarb .	$\frac{1}{2}$ fl. ounce,
Compound Tincture of Gentian	30 minims,
Bicarbonate of Soda .	10 grains,
Spirit of Chloroform .	10 minims,
Peppermint Water ..	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS GENTIANÆ CUM SENNA.

DRAUGHT OF GENTIAN AND SENNA.

Take of

Infusion of Senna ..	$\frac{1}{2}$ fl. ounce,
Tincture of Ginger ..	20 minims,
Compound Infusion of Gentian	to $1\frac{1}{2}$ fl. ounces

Mix.

HAUSTUS HEMIDESMI CUM POTASSII
IODIDO.

DRAUGHT OF HEMIDESMUS AND IODIDE OF POTASSIUM

Take of

Iodide of Potassium .	3 grains,
Compound Decoction of Hemidesmus ..	to 1 fl. ounce.

Dissolve.

Haustus Hydragrysi Perchloridi compositus [Paget's mix]

HAUSTUS IPECACUANHÆ EMETICUS.

EMETIC IPECACUANHA DRAUGHT.

Synonym.—*Haustus Emeticus*, 1861.

Take of

Wine of Ipecacuanha	} each $\frac{1}{2}$ fl. ounce
Oxymel of Squill ..	
Distilled Water ..	

Mix.

HAUSTUS MAGNESIÆ CUM SODA.

DRAUGHT OF MAGNESIA AND SODA.

Take of

Carbonate of Magnesia	} each 8 grains
Bicarbonate of Soda..	
Caraway Water ..	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS.

SULPHURIC MINT DRAUGHT.

Take of

Diluted Sulphuric Acid	10 minims,
Syrup of Red Poppy.	30 minims,
Spearmint Water ..	to 1 fl. ounce.

Mix.

HAUSTUS MENTHÆ SULPHURICUS CUM FERRI SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF IRON.

Take of

Sulphate of Iron .. 1 grain,
Spirit of Chloroform . 10 minims,
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS CUM MAGNESIÆ SULPHATE.

SULPHURIC MINT DRAUGHT WITH SULPHATE OF MAGNESIA.

Take of

Sulphate of Magnesia 60 grains,
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve.

HAUSTUS MORPHIÆ CUM FERRO.

DRAUGHT OF MORPHIA AND IRON.

Take of

Hydrochl. of Morphia $\frac{1}{12}$ grain,
Solution of Perchloride
of Iron 15 minims,
Diluted Hydrochloric
Acid 3 minims,
Spirit of Chloroform . 10 minims,
Distilled Water .. to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MORPHIÆ HYDROCHLORATIS.

DRAUGHT OF HYDROCHLORATE OF MORPHIA.

Take of

Hydrochlorate of Mor-

phia $\frac{1}{6}$ grain,

Diluted Hydrochloric

Acid $\frac{1}{3}$ minim,

Distilled Water .. to 1 fl. ounce.

Dissolve and mix.

HAUSTUS POTASSÆ CHLORATIS.

DRAUGHT OF CHLORATE OF POTASH.

Take of

Chlorate of Potash .. 10 grains.

Boiling Distilled Water to 1 fl. ounce.

Dissolve.

HAUSTUS OLEI MORRHUÆ.

DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil. . . . } each

Mucilage of Gum Acacia } 2 fl. drachms.

Refined Sugar in powder 30 grains,

Caraway Water .. to 1 fl. ounce.

Rub together.

HAUSTUS OLEI MORRHUÆ ALKALINUS.

ALKALINE DRAUGHT OF COD-LIVER OIL.

Take of

Cod-Liver Oil	..	2 fl. drachms,
Solution of Potash	..	15 minims,
Caraway Water	..	to 1 fl. ounce.

Mix.

HAUSTUS OLEI RICINI.

DRAUGHT OF CASTOR OIL.

Take of

Castor Oil	..	} each 2 fl. drachms,
Mucilage of Gum	..	
Acacia	..	

Refined Sugar in powder 30 grains,

Caraway Water .. to 1 fl. ounce.

Rub together.

HAUSTUS OLEI RICINI ALKALINUS.

ALKALINE DRAUGHT OF CASTOR OIL.

Take of

Castor Oil	..	2 fl. drachms,
Solution of Potash	..	15 minims,
Caraway Water	..	to 1 fl. ounce.

Mix.

HAUSTUS POTASSÆ EFFERVESCENS

EFFERVESCING POTASH DRAUGHT.

Take of

Bicarbonate of Potash	20 grains.
Distilled Water	.. 1 fl. ounce.

Dissolve, and add of

Citric Acid in powder	14 grains,
Distilled Water	.. 1 fl. ounce.

To be taken during effervescence.

HAUSTUS POTASSII IODIDI AMMONIATUS.

AMMONIATED DRAUGHT OF IODIDE OF POTASSIUM.

Take of

Iodide of Potassium	3 grains,
Carbonate of Ammonia	2 grains,
Distilled Water	.. to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUASSIÆ CUM FERRO.

DRAUGHT OF QUASSIA AND IRON.

Take of

Solution of Perchloride of Iron 15 minims,
Infusion of Quassia	.. to 1 fl. ounce.

Mix.

HAUSTUS QUINIÆ CUM FERRO.

DRAUGHT OF QUINIA AND IRON.

Take of

Sulphate of Quinia .. 1 grain,
 Sulphate of Iron .. $\frac{1}{2}$ grain,
 Spirit of Chloroform . 10 minims,
 Sulphuric Mint

Draught to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUINIÆ CUM POTASSII
IODIDO.

DRAUGHT OF QUINIA AND IODIDE OF POTASSIUM.

Take of

Sulphate of Quinia .. 2 grains,
 Iodide of Potassium . 5 grains,
 Diluted Sulphuric Acid 4 minims,
 Distilled Water .. to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUINIÆ SULPHATIS.

DRAUGHT OF SULPHATE OF QUINIA.

Take of

Sulphate of Quinia .. 1 grain,
 Diluted Sulphuric Acid $1\frac{1}{2}$ minims,
 Distilled Water .. to 1 fl. ounce.

Dissolve and mix.

HAUSTUS RHEI CUM MAGNESIA.

DRAUGHT OF RHUBARB AND MAGNESIA.

Take of

Compound Rhubarb

Powder 30 grains,

Caraway Water .. to 1 fl. ounce.

Mix.

It contains about 7 grains of rhubarb,
and 20 grains of magnesia.

HAUSTUS SCOPARII COMPOSITUS.

COMPOUND BRDDBM DRAUGHT.

Take of

Tartrate of Potash .. 20 grains,

Spirit of Juniper .. 30 minims,

Decoction of Broom . to 1½ fl. ounces

Dissolve and mix.

HAUSTUS SENNÆ COMPOSITUS.

COMPOUND SENNA DRAUGHT.

Take of

Sulphate of Magnesia ¼ ounce.

Oil of Peppermint .. ¼ minim.

Infusion of Senna .. to 1½ fl. ounces

Dissolve and mix.

HAUSTUS SODÆ EFFERVESCENS.

EFFERVESCING SODA DRAUGHT.

Synonym.—*Haustus Sodæ Tartratis*, 1861.

Take of

Bicarbonate of Soda .	20 grains,
Distilled Water ..	to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid in powder ..	17 grains,
Distilled Water ..	to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS SODÆ TARTRATIS.

DRAUGHT OF TARTRATE OF SODA.

Take of

Bicarbonate of Soda .	20 grains,
Tartaric Acid in powder ..	17 grains,
Distilled Water ..	to 1 fl. ounce.

Dissolve and mix. To be taken after effervescence has ceased.

HAUSTUS TEREBINTHINÆ.

TURPENTINE DRAUGHT

Take of

Oil of Turpentine .. 20 minims.

Mucilage of Gum-

Acacia 2 fl. drachms

Caraway Water .. to 1 fl. ounce

Triturate the mucilage first with the oil
and then with the water added gradually

HAUSTUS VALERIANÆ CUM
HYOSCYAMO.

DRAUGHT OF VALERIAN AND HYOSCYAMUS.

Take of

Ammoniated Tinc-	} each $\frac{1}{2}$ fl. drachm.
ture of Valerian	
Tincture of Hyos-	
cyamus ..	

Camphor Water .. 7 fl. drachms.

Mix.

HAUSTUS ZINCI EMETICUS.

EMETIC ZINC DRAUGHT.

Take of

Sulphate of Zinc .. 20 grains,

Distilled Water .. to 1 fl. ounce.

Dissolve.

LINCTUS.

LINCTUS.

Take of

Confection of Hips .. 100 grains,
 Tragacanth in powder 6 grains,
 Syrup of Poppies. . } each 36 minims,
 Vinegar of Squills . }
 Acetic Acid 2 minims,
 Boiling water .. to 1 fl. ounce.

Mix.

*3. Lig: myrt: hydrochlor
 Trichloroformi co aa m iii.*

Dose.—1 or 2 teaspoonfuls.

Original Sille

Glycerini

Aqua ad aa 3p.

7. Camph: co

Syrup: Stueck ad

Aq: ad 3i. p. 2.

LINCTUS CUM IPECACUANHA.

LINCTUS AND IPECACUANHA.

Take of

Wine of Ipecacuanha 30 minims,
 Linctus to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful, containing nearly 4 minims of wine of ipecacuanha.

LINIMENTUM OPII.

OPIUM LINIMENT.

Take of

Tincture of Opium ..	1 fl. ounce,
Compound Soap Liniment	3 fl. ounces.

Mix.

LINIMENTUM PLUMBI.

LEAD LINIMENT.

Syn.—Linimentum Plumbi cum Oleo. 1861.

Take of

Solution of Subacetate of Lead	$\frac{1}{2}$ fl. ounce,
Olive Oil	$3\frac{1}{2}$ fl. ounces.

Mix with agitation.

LINIMENTUM SAPONIS COMPOSITUM.

COMPOUND SOAP LINIMENT.

Take of

Soft Soap	300 grains,
Oil of Marjoram ..	6 minims.
Rectified Spirit ..	3 fl. drachms.
Oil of Turpentine ..	$1\frac{1}{2}$ fl. drachms.
Solution of Ammonia	1 fl. drachm.
Boiling Distilled Water	to 4 fl. ounces.

Mix.

LIQUOR FERRI TARTARATI.

SOLUTION OF TARTARATED IRON.

Synonym.—*Vinum Ferri*, 1861.

Take of

Tartarated Iron	..	8 grains,
Treacle	$\frac{1}{2}$ fl. drachm,
		or 40 grains,
Boiling Distilled Water		to 1 fl. ounce.

Mix.

Dose.—1 to 4 teaspoonfuls, containing
1 to 4 grains of tartarated iron.

LOTIO ACETI.

VINEGAR LOTION.

Take of

Vinegar	$\frac{1}{2}$ fl. drachm,
Distilled Water	..	$7\frac{1}{2}$ fl. drachms.

Mix.

LOTIO ACIDI CARBOLICI.

LOTION OF CARBOLIC ACID.

Take of

Glycerine of Carbolic

Acid	15 minims,
Distilled Water	..	to 1 fl. ounce.

Mix.

LOTIO ACIDI HYDROCYANICI.

LOTION OF HYDROCYANIC ACID.

Take of

Diluted Hydrocyanic

Acid 10 minims,

Distilled Water .. to 1 fl. ounce

Mix.

LOTIO ACIDI SULPHUROSI.

LOTION OF SULPHUROUS ACID.

Take of

Sulphurous Acid .. } each $\frac{1}{2}$ fl. ounce.
Glycerine }

Mix.

LOTIO ALUMINIS.

ALUM LOTION.

Take of

Alum in powder .. 16 grains,

Distilled Water .. to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS COMPOSITA.

COMPOUND ALUM LOTION.

Take of

Alum in powder .. } each 8 grains,
Sulphate of Zinc .. }

Distilled Water .. to 1 fl. ounce.

Dissolve.

no Alum & Z. Sulph.

Alum. Sulph.

Z. Sulph. 3i.

35

49. Alum. 3i.

LOTIO ALUMINIS MITIOR.

MILD ALUM LOTION.

Synonym. — Collyrium Aluminis, 1861.

Take of

Alum in powder	..	8 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS MITISSIMA.

WEAKEST ALUM LOTION.

Take of

Alum in powder	..	4 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO ARGENTI NITRATIS.

LOTION OF NITRATE OF SILVER.

Take of

Nitrate of Silver	..	2 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

LOTIO ARGENTI NITRATIS MITIOR.

MILD LOTION OF NITRATE OF SILVER.

Synon.—*Collyrium Argenti Nitratis*, 1861

Take of

Nitrate of Silver	..	1 grain,
Distilled Water	..	to 1 fl. ounce.

Dissolve, and keep the solution in a dark place.

LOTIO ARNICÆ.

ARNICA LOTION.

Take of

Tincture of Arnica	..	1 fl. drachm,
Lead Lotion	..	to 1 fl. ounce.

Mix.

LOTIO ATROPIÆ SULPHATIS.

LOTION OF SULPHATE OF ATROPIA.

Take of

Sulphate of Atropia	..	2 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO BORACIS CUM POTASSÆ CHLORATE.

LOTION OF BORAX AND CHLORATE OF POTASH.

Take of

Borax in Powder	..	3 grains,
Chlorate of Potash	..	6 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO CUPRI SULPHATIS.

LOTION OF SULPHATE OF COPPER.

Take of

Sulphate of Copper in		
powder	2 grains,
Distilled Water	..	1 fl. ounce.

Dissolve.

LOTIO FERRI SULPHATIS.

LOTION OF SULPHATE OF IRON.

Take of

Sulphate of Iron in		
powder	2 grains,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI.

LOTION OF PERCHLORIDE OF MERCURY

Take of

Perchloride of Mercury	$\frac{1}{4}$ grain,
Distilled Water	.. 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI HYDROCYANICA.

HYDROCYANIC LOTION OF PERCHLORIDE OF MERCURY.

Synonym.—*Lotio Hydrargyri Bichloridi Amygdalina*, 1861.

Take of

Perchloride of Mercury	$\frac{1}{2}$ grain,
Glycerine 2 fl. drachms,
Diluted Hydrocyanic	} 8 minims,
Acid	
Distilled Water	.. to 1 fl. ounce.

Dissolve and mix.

LOTIO OPII.

OPIUM LOTION.

Take of

Opium 5 grains,
Boiling Distilled Water	1 fl. ounce.

Rub together and filter.

LOTIO PLUMBI.

LEAD LOTION.

Synonym.—*Liquor Plumbi Subacetatis dilutus, Brit. Pharm.*

LOTIO PLUMBI ACETATIS.

LOTION OF ACETATE OF LEAD.

Take of

Acetate of Lead	..	2 grains,
Diluted Acetic Acid.	..	2 minims,
Distilled Water	..	to 1 fl. ounce.

Dissolve.

LOTIO PLUMBI CUM OPIO.

LEAD LOTION WITH OPIUM.

Take of

Extract of Opium	..	1 grain,
Lead Lotion..	..	1 fl. ounce.

Rub together.

LOTIO POTASSÆ PERMANGANATIS.

LOTION OF PERMANGANATE OF POTASH.

Take of

Solution of Perman-		
ganate of Potash..	..	12 minims,
Distilled Water	..	to 1 fl. ounce.

Mix.

LOTIO POTASSÆ SULPHURATÆ.
SULPHUR LOTION.

Synon.—*Lotio Potassii Sulphureti*, 1861.

Take of

Sulphurated Potash..	4 grains,
Distilled Water ..	to 1 fl. ounce.

Dissolve.

LOTIO QUERCUS COMPOSITA.
COMPOUND LOTION OF OAK BARK.

Take of

Alum in powder ..	} each 4 grains,
Sulphate of Zinc ..	
Decoction of Oak Bark	to 1 fl. ounce.

Dissolve.

LOTIO SODÆ CHLORATÆ.
CHLORINE LOTION.

Take of

Solution of Chlorinated

Soda	$\frac{1}{2}$ fl. drachm,
Distilled Water ..	$7\frac{1}{2}$ fl. drachms.

Mix.

LOTIO ZINCI SULPHATIS.
ZINC LOTION.

Take of

Sulphate of Zinc ..	4 grains,
Distilled Water ..	to 1 fl. ounce.

Dissolve.

LOTIO ZINCI SULPHATIS MITIOR.

MILD ZINC LOTION.

Take of

Sulphate of Zinc	..	1 grain,
Distilled Water	..	1 fl. ounce.

Dissolve.

OLEUM CARBOLATUM.

CARBOLATED OIL.

Take of

Carbolic Acid, liquefied		
by heat	48 minims,
Olive Oil	to 4 fl. ounces.

Mix.

PILULA ALOES CUM NUCE VOMICA.

PILL OF ALOES AND NUX VOMICA.

Take of

Pill of Barbadoes		
Aloes	4½ grains,
Extract of nux vomica		¼ grain,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA ALOES CUM SAPONE.

ALOES AND SOAP PILL.

Take of

Cape Aloes in powder	}	each 2 grains,
Hard Soap in powder		
Distilled Water	..	a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

PILL OF CAMPHOR AND HYOSCYAMUS.

Take of

Camphor in powder	}	each $2\frac{1}{2}$ grains,
Extract of Hyoscyamus		

Beat together, and form a pill.

ſci cordæ.

PILULA CAMPHORÆ CUM OPIO.

PILL OF CAMPHOR AND OPIUM.

Take of

Camphor in powder	..	2 grains,
Opium in powder	..	$\frac{1}{2}$ grain.

Beat together, and form a pill.

PILULA CREASOTI.
CREASOTE PILL.

Take of

Creasote 1 minim,
Crumb of Bread .. a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI CUM ASSAFŒTIDA.
PILL OF CREASOTE AND ASSAFŒTIOA.

Take of

Creasote 1 minim,
Compound Pill of As-
safœtida } each 2 grains.
Compound Rhubarb
Pill }

Beat together, and form a pill.

PILULA ELATERII COMPOSITA.
COMPOUND ELATERIUM PILL.

Take of

Elaterium $\frac{1}{4}$ grain,
Compound Extract of
Colocynth.. .. 2 grains,
Subchloride of Mercury $1\frac{1}{2}$ grains,
Capsicum Fruit in
powder $\frac{1}{2}$ grain,
Treacle a sufficiency.

Beat together, and form a pill.

PILULA FERRI REDACTI.

IRON PILL.

Take of

- Reduced Iron .. 3 grains,
- Balsam of Peru .. $\frac{1}{2}$ minim,
- Starch in powder .. a sufficiency.

Beat the iron and the balsam together, form a pill, and roll it in the starch.

PILULA FERRI FOETIDA.

FETID IRON PILL.

Take of

- Saccharated Carbonate
of Iron 3 grains.
- Compound Assafoetida
Pill 2 grains,
- Treacle a sufficiency.

Beat together, and form a pill.

PILULA FERRI SULPHATIS.

PILL OF SULPHATE OF IRON.

Take of

- Dried Sulphate of Iron } each 1 grain,
- Ginger in powder .. }
- Extract of Gentian .. 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA COMPOSITA.

COMPOUND PILL OF MERCURY WITH CHALK.

Take of

Mercury with Chalk	}	each $2\frac{1}{2}$ grains,
Compound Powder		
of Ipecacuanha..		

Treacle a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET RHEI.

PILL OF MERCURY WITH CHALK AND RHUBARB.

Take of

Mercury with Chalk	}	each $2\frac{1}{2}$ grains,
Rhubarb Root in		
powder		

Treacle a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

MERCURIAL PILL AND SQUILL.

Take of

Mercurial Pill .. 3 grains,

Squill in powder .. $1\frac{1}{2}$ grains.

Beat together, and form a pill.

PILULA HYDRARGYRI PERCHLORIDI
CUM BELLADONNA.

PILL OF PERCHLORIDE OF MERCURY AND BELLADONNA.

Take of

Perchloride of Mercury $\frac{1}{12}$ grain,
Extract of Belladonna $\frac{1}{8}$ grain,
Extract of Gentian .. 4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM COLOCYNTHIDE.

PILL OF CALOMEL AND COLOCYNTH

Take of

Subchloride of Mercury 1 grain.
Compound Extract of
Colocynth.. .. 4 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM JALAPA.

PILL OF CALOMEL AND JALAP.

Take of

Subchloride of Mercury 1 grain.
Jalap in powder .. 4 grains.
Treacle a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM RHEO.

PILL OF CALOMEL AND RHUBARB.

Take of

Subchloride of Mercury	1 grain,
Rhubarb Root in	
powder	4 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI SUBCHLORIDI
CUM SCAMMONIO.

PILL OF CALOMEL AND SCAMMONY.

Take of

Subchloride of Mercury	1 grain,
Scammony in powder	3 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

POTASSA CUM CALCE.

CAUSTIC POTASH AND LIME.

Take of

Caustic Potash	..	} equal parts,
Lime	
Glycerine	a sufficiency.

Mix.

POTUS POTASSÆ CHLORATIS.

CHLORATE OF POTASH DRINK.

Take of

Chlorate of Potash ..	60 grains,
Boiling Water ..	1 pint.

Dissolve.

POTUS POTASSÆ TARTRATIS ACIDÆ.

CREAM OF TARTAR DRINK.

Take of

Acid Tartrate of Potash	60 grains,
Half the fresh Peel of a Lemon,	
Boiling Water ..	1 pint.

Dissolve the salt, and infuse in a covered vessel.

PULVIS CRETÆ AROMATICUS CUM RHEO.

AROMATIC CHALK POWDER AND RHUBARB.

Take of

Aromatic Powder of			
Chalk	20 grains,		
Rhubarb Root in powder	10 grains.		

Mix.

PULVIS EMETICUS.

EMETIC POWDER.

Take of

Ipecacuanha in powder 20 grains,

Tartarated Antimony

in powder $\frac{1}{2}$ grain.

Mix.

PULVIS RHEI CUM POTASSÆ SULPHATE.

POWDER OF RHUBARB AND SULPHATE OF POTASH.

Take of

Rhubarb Root in pow-

der.. .. 10 grains,

Sulphate of Potash .. 30 grains.

Mix.

SPIRITUS AMMONIÆ AROMATICUS.

AROMATIC SPIRIT OF AMMONIA.

Take of

Carbonate of Ammonia 8 ounces,

Strong Solution of Am-

monia 4 fl. ounces,

Oil of Lemon .. 2 fl. drachms,

Rectified Spirit .. 5 pints,

Distilled Water .. to 7 pints.

Dissolve and mix.

Equal in amount of carbonate of ammonia to Spiritus Ammoniae Aromaticus of the *Brit. Pharm.*

SPIRITUS AMMONIÆ FŒTIDUS.

FETID SPIRIT OF AMMONIA.

Take of

Tincture of Assafoetida	6 fl. ounces,
Rectified Spirit	.. 3 fl. ounces.
Strong Solution of Am-	
monia 1 fl. ounce.

Mix.

Equal in amount of assafoetida and of ammonia to Spiritus Ammoniaë Fœtidus of the *Brit. Pharm.*

SPIRITUS CARUI.

SPIRIT OF CARAWAY.

Take of

Oil of Caraway	.. 1 fl. ounce.
Rectified Spirit	.. 19 fl. ounces.

Mix.

SPIRITUS CARYOPHYLLI.

SPIRIT OF CLOVES.

Take of

Oil of Cloves..	.. 1 fl. ounce,
Rectified Spirit	.. 19 fl. ounces.

Mix.

SPIRITUS CASSIÆ.

SPIRIT OF CASSIA.

Take of

Oil of Cassia..	..	1 fl. ounce,
Rectified Spirit	..	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ PIPERITÆ.

SPIRIT OF PEPPERMINT.

Take of

Oil of Peppermint	..	1 fl. ounce,
Rectified Spirit	..	19 fl. ounces.

Mix.

SPIRITUS MENTHÆ VIRIDIS.

SPIRIT OF SPEARMINT.

Take of

Oil of Spearmint	..	1 fl. ounce,
Rectified Spirit	..	19 fl. ounces.

Mix.

SUPPOSITORIUM OPII.

OPIUM SUPPOSITORY.

Take of

Compound Pill of Soap 12 grains.

Make a suppository.

It contains about 2 grains of dried opium.

SYRUPUS PAPAVERIS.

SYRUP OF POPPIES.

Take of

Poppy Capsules bruised

and freed from Seeds $2\frac{1}{4}$ pounds.

Treacle . . . 2 pounds 1 ounce.

Distilled Water at 170° 3 gallons.

Macerate the poppy capsules in the water for 12 hours, draw off and express the liquor, and evaporate it to two pints and a half, then add the treacle.

Equal in strength to Syrupus Papaveris of the *Brit. Pharm.*

SYRUPUS RHŒADOS.

SYRUP OF RED POPPY.

Take of

Dried Red-Poppy Pe-

tals . . . 13 ounces,

Treacle . . . $5\frac{1}{4}$ pounds.Boiling Distilled Water $5\frac{1}{2}$ pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle to it

UNGUENTUM PICIS CUM PLUMBO

OINTMENT OF TAR AND LEAD.

Take of

Ointment of Tar ..	} equal parts.
Ointment of Acetate	
of Lead	

Mix.

VINUM IPECACUANHÆ.

WINE OF IPECACUANHA.

Take of

Ipecacuanha bruised .	1 ounce,
Sherry	} each 4 fl. ounces,
Rectified Spirit ..	
Distilled Water ..	12 fl. ounces.

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Pharm.*

ST. BARTHOLO

DIE

<i>Meals.</i>	<i>Full Diet (Meat).</i> <i>D.C.</i>	<i>Half Diet (Meat).</i> <i>D.D.</i>
Breakfast.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Dinner.	Half-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	Quarter-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.
Tea.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Supper.	Bread and Butter. Beer.	Bread and Butter. Beer.
Daily allowances to each Patient.	2 Pints of Tea. 14 Ounces of Bread. Half-pound Meat when dressed. Half-pound Potatoes. 2 Pints Beer (<i>Men</i>). 1 Pint Beer (<i>Women</i>). 1 Ounce Butter.	2 Pints of Tea. 12 Ounces Bread. Quarter-pound Meat when dressed. Half-pound Potatoes. 1 Pint Beer. $\frac{3}{4}$ Ounce Butter.

Vegetables to be specially ordered.—*Mutton Chops, Beef Steaks, Beef* for

Each Patient, on Admission, to be placed on Milk Diet

MEW'S HOSPITAL.

SCALE.

<i>Broth Diet.</i> <i>L. T.</i>	<i>Milk Diet.</i>	<i>Low Diet.</i> <i>D. L.</i>
1 Pint of Tea.	1 Pint of Tea.	Bread. — Broth,
1 Pint and a half Broth. 6 Ounces Potatoes (mashed) Bread.	1 Pint and a half Milk, or 1 Pint Milk with Arrow- Root, Rice, or Sago. Bread.	Gruel, or Barley
1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.	Water, as may be
Bread and Butter. Gruel.	Bread and Butter. Gruel.	ordered.
2 Pints of Tea. 12 Ounces Bread. 1 Pint and a half Broth. 6 Ounces Potatoes (mashed) $\frac{1}{4}$ Ounce Butter. Gruel.	2 Pints of Tea. 12 Ounces of Bread. 1 Pint and a half Milk, or 1 Pint Milk with Arrow- Root, Rice, or Sago. $\frac{1}{4}$ Ounce Butter. Gruel.	Bread. — Broth, Gruel, or Barley Water.

Beef Tea, Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirit
until a Diet is ordered by the Physician or Surgeon.

APPENDIX.

TABLE

Of the Ordinary Doses for an Adult of the following Official Articles, taken from the British Pharmacopæia of 1867.

Acetum Scillæ . . .	15 to 40 min.
Acidum Gallicum . . .	2 to 10 gr.
— Hydrochloricum Dil.	10 to 30 min.
— Hydrocyanicum Dil.	2 to 8 ..
— Nitricum Dilutum .	10 to 30 ..
— Nitro-hydrochlor.Dil.	5 to 20 ..
— Phosphoricum Dilut.	10 to 30 ..
— Sulphuricum Aromat.	5 to 30 ..
— Sulphuricum Dilutum	5 to 30 ..
— Tannicum . . .	2 to 10 gr.
Aloe	2 to 6 ..
Alumen	10 to 20 ..
Ammoniaë Benzoas . .	10 to 20 ..
— Carbonas	3 to 10 ..
Ammonii Bromidum . .	2 to 20 ..
— Chloridum	5 to 20 ..

Antimonium Tartaratum,			
	<i>diaphoretic</i>	$\frac{1}{16}$ to $\frac{1}{6}$ gr.	
— —	<i>emetic</i>	1 to 2	„
Argenti Nitras	. .	$\frac{1}{6}$ to $\frac{1}{3}$	„
— Oxidum	. .	$\frac{1}{2}$ to 2	„
Assafoetida	. .	5 to 20	„
Bismuthi Carbonas	. .	5 to 20	„
— Subnitras	. .	5 to 20	„
Borax	. .	5 to 40	„
Calcii Chloridum	. .	10 to 20	„
Calcis Phosphas	. .	10 to 20	„
Camphora	. .	1 to 10	„
Colchici Cormus	. .	2 to 8	„
Confectio Opii	. .	5 to 20	„
— Piperis	. .	60 to 120	„
— Sennæ	. .	60 to 120	„
Copaiba	. .	30 to 60 min.	
Creasotum	. .	1 to 3 drops.	
Creta præparata	. .	10 to 60 gr.	
Cubeba	. .	30 to 120	„
Cupri Sulphas	. .	$\frac{1}{4}$ to 2	„
Decoctum Aloes Compos.		$\frac{1}{2}$ to 2 fl. oz.	
— Cinchonæ Pallidæ	. .	1 to 2	„
— Hæmatoxyli	. .	1 to 2	„
Calceol bydas		10 to 30 grs.	

Decoctum Pareiræ . . .	1 to 2 fl. oz.
— Scoparii . . .	2 to 4 ..
— Ulmi . . .	2 to 4 ..
Digitalis Folia . . .	$\frac{1}{2}$ to $1\frac{1}{2}$ gr.
Elaterium . . .	$\frac{1}{16}$ to $\frac{1}{2}$..
Ergota . . .	20 to 30 ..
Extractum Aconiti . . .	1 to 2 ..
— Aloes . . .	2 to 6 ..
— Belæ Liquidum . . .	1 to 2 fl. drs.
— Belladonnæ . . .	$\frac{1}{4}$ to 1 gr.
— Cinchonæ Pal. Liquid. . .	10 to 30 min.
— Colchici . . .	$\frac{1}{2}$ to 1 gr.
— Colchici Aceticum . . .	$\frac{1}{2}$ to 1 ..
— Colocyntidis Comp. . .	3 to 10 ..
— Conii . . .	2 to 6 ..
— Ergotæ Liquidum . . .	10 to 30 min.
— Filicis Liquidum . . .	15 to 30 ..
— Hyoscyami . . .	5 to 10 gr.
— Nucis Vomicae . . .	$\frac{1}{2}$ to 2 ..
— Opii Liquidum . . .	10 to 40 min.
— Papaveris . . .	2 to 5 gr.
— Physostigmatis . . .	$\frac{1}{16}$ to $\frac{1}{4}$..
— Stramonii . . .	$\frac{1}{4}$ to $\frac{1}{2}$..
Taraxaci . . .	5 to 30 ..

Ferri Carbonas Saccharat.	5 to 20 gr.
— et Ammoniae Citras .	5 to 10 „
— et Quiniæ Citras .	5 to 10 „
— Iodidum . . .	1 to 5 „
— Peroxidum Hydratum	5 to 30 „
— Phosphas . . .	5 to 10 „
Sulphas . . .	1 to 5 „
Ferrum Redactum . .	1 to 5 „
— Tartaratum . . .	5 to 10 „
Hydrargyri Iodidum Ru-	
brum . . .	$\frac{1}{16}$ to $\frac{1}{4}$ „
— Iodidum Viride . .	1 to 3 „
— Perchloridum . .	$\frac{1}{16}$ to $\frac{1}{8}$ „
— Subchloridum . .	$\frac{1}{2}$ to 5 „
Hydrargyrum cum Creta	3 to 8 „
Infusum Buchu . . .	1 to 4 fl. oz.
— Calumbæ . . .	1 to 2 „
— Caryophylli . . .	1 to 4 „
— Cascarillæ . . .	1 to 2 „
— Catechu . . .	1 to 2 „
— Chiratæ . . .	1 to 2 „
— Cinchonæ Pallidæ .	1 to 2 „
— Cusso . . .	4 to 8 „
— Digitalis . . .	2 to 4 fl. drs.

Infusum Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Compositum . . .	1 to 2 „
— Quassiae . . .	1 to 2 „
— Rhei . . .	1 to 2 „
— Senegæ . . .	1 to 2 „
— Uvæ Ursi . . .	1 to 2 „
— Valerianæ . . .	1 to 2 „
Ipecacuanha, <i>expectorant</i> . . .	$\frac{1}{2}$ to 2 gr.
— <i>emetic</i> . . .	15 to 30 „
Jalapa . . .	10 to 30 „
Kamala . . .	30 gr. to $\frac{1}{4}$ oz.
Liquor Ammoniae Acetatis . . .	2 to 6 fl. drs.
— Ammoniae Citratis . . .	2 to 6 „
— Arsenicalis . . .	2 to 8 min.
— Arsenici Hydrochlor. . .	2 to 8 „
— Bismuthi et Ammoniae Citratis . . .	30 to 60 „
— Calcis . . .	1 to 4 fl. oz.
— Calcis Saccharatus . . .	15 to 60 min.
— Chlori . . .	10 to 20 „
— Ferri Perchloridi . . .	10 to 30 „
— Ferri Pernitratis . . .	10 to 40 „
— Hydrargyr. Perchlor. . .	30 to 120 „
— Morphiae Acetatis . . .	10 to 60 „

Liquor Morphiae Hydrochlor.	10 to 60 min.
— Potassæ . . .	15 to 60 „
— Sodæ Arseniatis . . .	5 to 10 „
— Sodæ Chloratæ . . .	10 to 20 „
— Strychniæ . . .	5 to 10 „
Lithiæ Carbonas . . .	3 to 6 gr.
— Citras . . .	5 to 10 „
Magnesia . . .	10 to 60 „
Magnesiæ Carbonas . . .	10 to 60 „
— Sulphas . . .	60 gr. to $\frac{1}{2}$ oz.
Mistura Ammoniaci . . .	$\frac{1}{2}$ to 1 fl. oz.
— Creasoti . . .	1 to 2 „
— Cretæ . . .	1 to 2 „
— Ferri Composita . . .	1 to 2 „
— Guaiaci . . .	$\frac{1}{2}$ to 2 „
— Scammonii (<i>for a child</i>) . . .	$\frac{1}{2}$ to 2 „
Morphiæ Acetas . . .	$\frac{1}{8}$ to $\frac{1}{2}$ gr.
— Hydrochloras . . .	$\frac{1}{8}$ to $\frac{1}{2}$ „
Oleum Crotonis . . .	$\frac{1}{3}$ to 1 min.
— Morrhuæ . . .	1 to 8 fl. drs.
— Ricini . . .	1 to 8 „
— Terebinthinæ . . .	10 to 30 min.
— — <i>anthelmintic</i> . . .	4 fl. drs.
Opium . . .	$\frac{1}{2}$ to 2 gr.

Oxymel Scillæ . . .	$\frac{1}{2}$ to 1 fl.drm.
Pilula Aloes Barbadosensis	5 to 10 gr.
— Aloes et Assafoetidæ	5 to 10 „
— Aloes et Ferri . . .	5 to 10 „
— Aloes et Myrrhæ . . .	5 to 10 „
— Aloes Socotrinæ . . .	5 to 10 „
— Assafoetidæ Composita	5 to 10 „
— Conii Composita . . .	5 to 10 „
— Ferri Carbonatis . . .	5 to 20 „
— Ferri Iodidi . . .	5 to 8 „
— Hydrargyri . . .	3 to 8 „
— Hydrargyri Subchloridi	
Composita . . .	5 to 10 „
— Ipecacuanhæ cum	
Scilla . . .	5 to 10 „
Plumbi cum Opio . . .	3 to 5 „
— Rhei Composita . . .	5 to 10 „
— Saponis Composita . . .	3 to 5 „
— Scillæ Composita . . .	5 to 10 „
Plumbi Acetas . . .	1 to 4 „
Podophylli Resina . . .	$\frac{1}{4}$ to 1 „
Potassæ Acetas . . .	10 to 60 „
— Bicarbonas . . .	10 to 40 „
— Chloras . . .	10 to 30 „

Potassæ Citras	.	.	20 to 60 gr.
— Nitras	.	.	10 to 30 „
— Sulphas	.	.	15 to 60 „
— Tartras	.	.	60 gr. to $\frac{1}{2}$ oz.
— Tartras Acida	.	.	20 to 60 gr.
Potassii Bromidum	.	.	5 to 30 „
— Iodidum	.	.	2 to 10 „
Pulvis Antimonialis	.	.	3 to 10 „
— Catechu Compositus	.	.	20 to 40 „
— Cretæ Aromaticus	.	.	10 to 60 „
— Cretæ Aromaticus cum Opio	.	.	10 to 40 „
— Ipecacuanhæ Compos.	.	.	5 to 15 „
— Kino Compositus	.	.	5 to 20 „
— Rhei Compositus	.	.	20 to 60 „
— Scammonii Compos.	.	.	10 to 20 „
Quiniæ Sulphas	.	.	1 to 10 „
Rhei Radix	.	.	5 to 20 „
Santoninum	.	.	2 to 6 „
Scammonium	.	.	5 to 10 „
Scilla	.	.	1 to 3 „
Soda Tartarata	.	.	$\frac{1}{4}$ to $\frac{1}{2}$ oz.
Sodæ Bicarbonas	.	.	10 to 60 gr.
— Sulphas	.	.	$\frac{1}{4}$ to 1 oz.

Spiritus Ætheris . . .	30 to 90 min.
— Ætheris Nitrosi . . .	30 to 120 „
— Ammoniae Aromaticus . . .	30 to 60 „
— Ammoniae Foetidus . . .	30 to 60 „
— Armoraciae Compos . . .	60 to 120 „
— Chloroformi . . .	20 to 60 „
— Juniperi . . .	30 to 60 „
Strychnia . . .	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
Succus Conii . . .	30 to 60 min.
— Scoparii . . .	1 to 2 fl. drs.
— Taraxaci . . .	1 to 2 „
Syrupus Aurantii . . .	1 „
— Ferri Iodidi . . .	$\frac{1}{2}$ to 1 „
— Ferri Phosphatis . . .	1 „
— Papaveris . . .	1 „
— Rhœados . . .	1 „
— Sennæ . . .	1 to 4 „
— Zingiberis . . .	1 „
Tinctura Aconiti . . .	5 to 15 min.
— Aloes . . .	60 to 120 „
— Assafœtidæ . . .	30 to 60 „
— Belladonnæ . . .	5 to 20 „
— Benzoini Composita . . .	30 to 60 „
— Calumbæ . . .	30 to 120 „

Tinctura Camphoræ Compos. 15 to 60 min. ²/_P

— Cannabis Indicæ . . .	5 to 20	„
— Cantharidis . . .	5 to 20	„
— Capsici . . .	10 to 20	„
— Cascarillæ . . .	30 to 120	„
— Catechu . . .	30 to 120	„
— Cinchonæ Composita	30 to 120	„
— Cinchonæ Flavæ . .	30 to 120	„
— Cinchonæ Pallidæ .	30 to 120	„
— Colchici Seminum . .	10 to 30	„
— Conii . . .	20 to 60	„
— Digitalis . . .	10 to 30	„
— Ergotæ . . .	10 to 60	„
— Ferri Acetatis . . .	5 to 30	„
— Ferri Perchloridi . .	10 to 30	„
— Gentianæ Composita	30 to 120	„
— Guaiaci Ammoniata .	30 to 120	„
— Hyoscyami . . .	30 to 60	„
— Iodi . . .	5 to 20	„
— Jalapæ . . .	30 to 120	„
— Kino . . .	30 to 120	„
— Lobeliæ . . .	10 to 30	„
— Lobeliæ Ætherea . .	10 to 30	„
— Lupuli . . .	30 to 60	„

Tinctura Myrrhæ . . .	:	30 to 60 min.
— Nucis Vomicae	10 to 20 ..
— Opii	5 to 40 ..
— Rhei, <i>stomachic</i>		1 to 2 fl.drs.
— — <i>purgative</i>		4 to 8 ..
— Scillæ	10 to 30 min.
— Sennæ	1 to 4 fl.drs.
— Stramonii	10 to 30 min.
— Valerianæ	60 to 120 ..
— Valerianæ Ammoniata		30 to 60 ..
— Veratri Viridis	5 to 20 ..
— Zingiberis	15 to 60 ..
Vinum Antimoniale	5 to 60 ..
— Colchici	10 to 30 ..
— Ferri	1 to 4 fl.drs.
— Ipecacuanhæ,		
<i>expectorant</i>		5 to 40 min.
— — <i>emetic</i>		3 to 6 fl.drs.
Zinci Oxidum	2 to 10 gr.
— Sulphas, <i>tonic</i>		1 to 3 ..
— <i>emetic</i>		20 to 30 ..

INDEX.

*The Names printed in italics are Synonyms
employed in the Pharmacopœia of 1861.*

	PAGE
Aqua Carui	1
— Caryophylli.	1
— Cassiæ	2
— Menthæ Piperitiæ	2
— Menthæ Viridis	3
Balneum Acidum.	3
— Alkalinum	3
— Calidum.	3
— Creasoti	3
— Glutinis	4
— Marinum	4
— Sulphureum	4
— Tepidum	4
Ueratum simplex	5
Collyrium Aluminis	35
— Argenti Nitratis.	36

	PAGE
Confectio Aluminis	5
———— Boracis.	5
———— Cinchonæ	6
———— Cinchonæ Flavæ	6
———— Ferri Potassio-tartratis	6
———— Ferri-Tartarti	6
———— Jalapæ	7
———— Jalapæ Composita	7
———— Potassæ Bitartratis	7
———— Potassæ Tartratis Acidæ	7
———— Sulphuris	8
———— Sulphuris Composita	8
Decoctum Aloes compositum	8
———— Hemidesmi compositum	9
———— Sarsæ Compositum	9
Enema Olei Ricini	10
———— Saponis	10
———— Sodii Chloridi	10
Fotus Belladonnæ	10
———— Papaveris	11
Gargarisma Aceticum	11
———— Acidi Acetici	11
———— Acidi Hydrochlorici	12
———— Aluminis	11
———— Aluminis compositum	11

	PAGE
Gargarisma Capsici	12
————— Hydrochloricum	12
————— Sodæ Chlorate	12
————— <i>Sodæ Chlorinatæ</i>	12
Glycerinum Acidi Gallici	13
Haustus Acidi Gallici	13
————— Acidi Hydrocyanici.	13
————— Acidi Nitro-hydrochlorici	14
————— Ætheris Ammoniatus	14
————— Aloes et Camphoræ	14
————— Ammoniaci Fœtidus	15
————— Ammoniae Acetatis	15
————— Ammoniae Acetatis cum Magnesiae Sulphate	15
————— Ammoniae Acetatis cum Scilla	16
————— Ammoniae Acetatis et Camphoræ	16
————— Amygdalæ	16
————— Antimonii cum Magnesiae Sulphate.	17
————— <i>Aromaticus</i>	19
————— <i>Aromaticus cum Rheo</i>	20
————— Calumbæ Alkalinus	17
————— Calumbæ Compositus	17
————— Camphoræ Fœtidus	18
————— Cascarillæ cum Scilla	18
————— Cinchonæ Acidus	18

	PAGE
Haustus <i>Cinchonæ compositus</i> . . .	18
——— <i>Colchici</i> . . .	19
——— <i>Colchici compositus</i> . . .	19
——— <i>Copaibæ compositus</i> . . .	19
——— <i>Cretæ Aromaticus</i> . . .	19
——— <i>Cretæ Aromaticus cum Opio</i> . . .	20
——— <i>Cretæ Aromaticus cum Rheo</i> . . .	20
——— <i>Cretæ compositus</i> . . .	20
——— <i>Emeticus</i> . . .	22
——— <i>Ferri et Ammoniae Citratis</i> . . .	20
——— <i>Gentianæ cum Rheo</i> . . .	21
——— <i>Gentianæ cum Senna</i> . . .	21
——— <i>Hemidesmi cum Potassii Iodido</i> . . .	21
——— <i>Ipecacuanhæ Emeticus</i> . . .	22
——— <i>Magnesiæ cum Soda</i> . . .	22
——— <i>Menthæ Sulphuricus</i> . . .	22
——— <i>Menthæ Sulphuricus cum Ferri</i> Sulphate . . .	23
——— <i>Menthæ Sulphuricus cum Magnesiæ</i> Sulphate . . .	23
——— <i>Morphiæ cum Ferro</i> . . .	23
——— <i>Morphiæ Hydrochloratis</i> . . .	24
——— <i>Olei Morrhuæ</i> . . .	24
——— <i>Olei Morrhuæ Alkalinus</i> . . .	25
——— <i>Olei Ricini</i> . . .	25

	PAGE
Haustus Olei Ricini Alkalinus . . .	25
—— Potassæ Effervescens . . .	26
—— Potassii Iodidi Ammoniatum . . .	26
Haustus Quassiae cum Ferro . . .	26
—— Quiniae cum Ferro . . .	27
—— Quiniae cum Potassii Iodido . . .	27
—— Quiniae Sulphatis . . .	27
—— Rhei cum Magnesia . . .	28
—— Scoparii compositus . . .	28
—— Sennæ compositus . . .	28
—— Sodæ Effervescens . . .	29
—— Sodæ Tartratis . . .	29
—— <i>Sodæ Tartratis</i> . . .	29
—— Terebinthinæ . . .	30
—— Valerianæ cum Hyoscyamo . . .	30
—— Zinci Emeticus . . .	30
Linctus . . .	31
Linctus cum Ipecacuanha . . .	31
Linimentum Opii . . .	32
—— Plumbi . . .	32
—— <i>Plumbi cum Oleo</i> . . .	32
—— Saponis compositum. . .	32
Liquor Ferri Tartarati . . .	33
Lotio Aceti . . .	33
—— Acidi Carbolici . . .	33

	PAGE
Lotio Acidi Hydrocyanici	34
— Acidi Sulphurosi	34
— Aluminis	34
— Aluminis Composita	34
— Aluminis mitior	35
— Aluminis mitissima	35
— Argenti Nitratis	35
— Argenti Nitratis mitior	36
— Arnicæ	36
— Atropiæ Sulphatis.	36
— Boracis cum Potassiæ Chlorate	37
— Cupri Sulphatis	37
— Ferri Sulphatis	37
— Hydrargyri Bichloridi Amygdalina	38
— Hydrargyri Perchloridi	38
— Hydrargyri Perchloridi Hydrocyanica	38
— Opii	38
— Plumbi	39
— Plumbi Acetatis	39
— Plumbi cum Opio	39
— Potassæ Permanganatis	39
— Potassæ Sulphuratæ	40
— Potassii Sulphureti	40
— Quercus composita	40
— Sodæ Chloratæ	40

	PAGE
Lotio Zinci Sulphatis	40
— Zinci Sulphatis mitior	41
Oleum Carbolatum	41
Pilula Aloes cum Nucc Vomica	41
— Aloes cum Sapone	42
— Camphoræ cum Hyoscyamo	42
— Camphoræ cum Opio	42
— Creasoti	43
— Creasoti cum Assafœtida	43
— Elaterii composita	43
— Ferri Redacti	44
— Ferri Fœtida	44
— Ferri Sulphatis	44
— Hydrargyri cum Creta Composita	45
— Hydrargyri cum Creta et Rhei	45
— Hydrargyri cum Scilla	45
— Hydrargyri Perchloridi cum Bella- donna	46
— Hydrargyri Subchloridi cum Colo- cynthide.	46
— Hydrargyri Subchloridi cum Jalapa	46
— Hydrargyri Subchloridi cum Rheo	47
— Hydrargyri Subchloridi cum Scam- monio	47
Potassa cum Calce	47

	PAGE
Potus Potassæ Chloratis	48
— Potassæ Tartratis Acidæ	48
Pulvis Cretæ Aromaticus cum Rheo	48
— Emeticus	49
— Rhei cum Potassæ Sulphate	49
Spiritus Ammonię Aromaticus	49
— Ammonię Fœtidus.	50
— Carui	50
— Caryophylli	50
— Cassiæ	50
— Menthæ Piperitæ	51
— Menthæ Viridis	51
Suppositorium Opii	51
Syrupus Papaveris	52
— Rhœados	52
— Unguentum Picis cum Plumbo	53
<i>Vinum Ferri</i>	33
<i>Vinum Ipecacuanhæ</i>	53

et teaspoonful = 1 fluid drachm.
 et dessert spoonful = 2 " " 5
 et table spoonful = 4 " " " "
 et wineglassful = .5 - 2 fluid ounces.
 et tea cupful = 5 fluid ounces.
 et breakfast cupful = 8 " " "
 et tumblerful = 10 - 12 " " "

To find the dose for a child under 12.

Add twelve years to the child's age &
 the real age by the same.

Extraction of teeth.

See out the lateral incisors twist Bicuspid upper out
 lower lateral incisors rotate 5/8 fl. Molar upper & lower 2/3 fl.
 The Canines Rotate 1/2 fl. 2 c 1 over in. cu
 " " " " " "

